


A.LEDA WASH K10 CC

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

Legenda Diameter 10%-50%: valori del diametro del fascio luminoso corrispondenti al 10% e 50% dell'illuminamento massimo.
Key Diameter 10%-50%: beam diameter for 10% and 50% of maximum illumination.
Légende Diameter 10%-50%: valeurs du diamètre du faisceau lumineux correspondant à 10% et 50% de l'éclairage maximum.
Legende Diameter 10%-50%: Lichtkreis-Durchmesser bei 10% bzw.50% maximaler Ausleuchtung.
Leyenda Diameter 10%-50%: valores del diámetro del haz luminoso correspondientes al 10% y 50% de la iluminación máxima.

Minimum Zoom with WHITE (16.2° 10% - 8.6° 50%)


Total Output: 2900 lumens



Distance	m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	0.85 (2' 10")	1.42 (4' 8")	2.85 (9' 4")	4.27 (14' 0")
Diameter 50%	m (ft in)	0	0.45 (1' 6")	0.75 (2' 6")	1.50 (4' 11")	2.26 (7' 5")

Minimum Zoom with RED (16.2° 10% - 8.6° 50%)

Total Output: 950 lumens




Distance	m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	0.85 (2' 10")	1.42 (4' 8")	2.85 (9' 4")	4.27 (14' 0")
Diameter 50%	m (ft in)	0	0.45 (1' 6")	0.75 (2' 6")	1.50 (4' 11")	2.26 (7' 5")

A.LEDA WASH K10 CC

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

Minimum Zoom with GREEN (16.2° 10% - 8.6° 50%)


Total Output: 2200 lumens



Distance		m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	0.85 (2' 10")	1.42 (4' 8")	2.85 (9' 4")	4.27 (14' 0")	
Diameter 50%	m (ft in)	0	0.45 (1' 6")	0.75 (2' 6")	1.50 (4' 11")	2.26 (7' 5")	

Minimum Zoom with BLUE (16.2° 10% - 8.6° 50%)

Total Output: 300 lumens




Distance		m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	0.85 (2' 10")	1.42 (4' 8")	2.85 (9' 4")	4.27 (14' 0")	
Diameter 50%	m (ft in)	0	0.45 (1' 6")	0.75 (2' 6")	1.50 (4' 11")	2.26 (7' 5")	

A.LEDA WASH K10 CC

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

Minimum Zoom with WHITE, RED, GREEN & BLUE (16.2° 10% - 8.6° 50%)


Total Output: 5300 lumens



Distance	m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	0.85 (2' 10")	1.42 (4' 8")	2.85 (9' 4")	4.27 (14' 0")
Diameter 50%	m (ft in)	0	0.45 (1' 6")	0.75 (2' 6")	1.50 (4' 11")	2.26 (7' 5")

Maximum Zoom with WHITE (70° 10% - 43° 50%)

Total Output: 2500 lumens



Distance	m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	4.20 (13' 9")	7.00 (23' 0")	14.00 (45' 11")	21.01 (68' 11")
Diameter 50%	m (ft in)	0	2.36 (7' 9")	3.94 (12' 11")	7.88 (25' 10")	11.82 (38' 9")


A.LEDA WASH K10 CC

- I** DIAGRAMMI FOTOMETRICI
- GB** PHOTOMETRIC DIAGRAMMS
- F** DIAGRAMMES PHOTOMETRIQUES

- D** FOTOMETRICHE DIAGRAMME
- E** DIAGRAMOS FOTOMÉTRICOS

Maximum Zoom with RED (70° 10% - 43° 50%)


Total Output: 800 lumens



lux (fc)	0	137 (12.7)	49 (4.58)	12 (1.14)	5 (0.51)	
Distance	m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	4.20 (13' 9")	7.00 (23' 0")	14.00 (45' 11")	21.01 (68' 11")
Diameter 50%	m (ft in)	0	2.36 (7' 9")	3.94 (12' 11")	7.88 (25' 10")	11.82 (38' 9")

Maximum Zoom with GREEN (70° 10% - 43° 50%)

Total Output: 1900 lumens




lux (fc)	0	331 (30.8)	119 (11.1)	30 (2.77)	13 (1.23)	
Distance	m (ft in)	0	3 (9' 10")	5 (16' 5")	10 (32' 10")	15 (49' 3")
Diameter 10%	m (ft in)	0	4.20 (13' 9")	7.00 (23' 0")	14.00 (45' 11")	21.01 (68' 11")
Diameter 50%	m (ft in)	0	2.36 (7' 9")	3.94 (12' 11")	7.88 (25' 10")	11.82 (38' 9")

A.LEDA WASH K10 CC


- I** DIAGRAMMI FOTOMETRICI
- GB** PHOTOMETRIC DIAGRAMMS
- F** DIAGRAMMES PHOTOMETRIQUES

- D** FOTOMETRICHE DIAGRAMME
- E** DIAGRAMOS FOTOMÉTRICOS

Maximum Zoom with BLUE (70° 10% - 43° 50%) Total Output: 250 lumens



Maximum Zoom with WHITE, RED, GREEN & BLUE (70° 10% - 43° 50%)



A.LEDA WASH K10 CC

- I DIAGRAMMI FOTOMETRICI
- D FOTOMETRICHE DIAGRAMME
- GB PHOTOMETRIC DIAGRAMS
- E DIAGRAMOS FOTOMÉTRICOS
- F DIAGRAMMES PHOTOMETRIQUES

